


1.4.


INDEX MAPS.

T. 8N R. 5W 2nd Mer.



Meandering 71

T. 9N R. 5W 2nd Mer.



The figures on the lines refer to the page.

Township No 8 North of Range No 5 West of the 2nd Mer. Ind.

Ch. lks.

South Boundary.

West On the South Boundary of Sec. 36. T. 8. N. R. 5 W.

27.50 To a Brook 5 links wide, Course N.

40.00 Set a 7/4 sap post from which a

Ash. 24 in. dia. beam S 76 E. 24 links dist; 7/4

Beck. 24 " " " N 24 W. 15 " "

71.00 To a Brook 5 links wide, Course N.

80.00 Set a post for the cor. of sec. 35 & 36 from which a

Beck. 18 in. dia. beam S 72 E. 38 links dist; 7/4

La 15 " " " N 82 W. 41 " "

Good Oak Land.

West On the South Boundary of sec. 35. T. 8. N. R. 5 W.

40.00 Set a 7/4 sap post from which a

Beck. 24 in. dia. beam N 30 E. 31 links dist; 7/4

La 24 " " " S 48 W. 35 " "

62.50 To a Brook 8 links wide, Course N. W.

80.00 Set a post for the cor. of sec. 34 & 35 from which a

Sugar. 18 in. dia. beam S 42 E. 8 links dist; 7/4

La 16 " " " N 62 W. 50 " "

Land R. rate. Timber Sugar

West On the South Boundary of sec. 34. T. 8. N. R. 5 W.

10.00 To a Brook 8 links wide, Course N.

40.00 Set a 7/4 sap post from which a

Beck 10 in. dia. beam North 2 links dist; 7/4

La. 10 " " " S 64 E. 15 " "

43.50 To a Brook 10 links wide, Course S. W.

51.50 To the East Bank of White River a Left Bank

Var. 6° 45' April 18. 1811

Land hilly and rich on the N. E. Timber Sugar

Ash, Hick 7/4. Last 7/4 river bottom.

Surveyed by Abraham Hedden Ld.

T. N. 8. N. R. N. 5 W. 2nd Mer. Ind.

April 15. 1811.

West Continued the line from a small stake set by
A Holmes on the East Bank of N. River.

80.00 Set a post for the cor. of sec. 33 & 34 from which a
Locust 20 in. dia. bears N 42 E. 50 links dist; to
Hackberry 12 " " S 51 W. 45 " "

West On the South Boundary of sec. 33. T. 8. N. R. 5 W.

40.00 Set a 1/4 section post from which a
Log wood 5 in. dia. bears S 63 E. 8 links dist; to
Hack 8 " " N 36 W. 28 " "

72.00 To a Brook 8 links wide. Corner N. W.

80.00 Set a post for the cor. of sec. 32 & 33 from which a
Oak 10 in. dia. bears S 79 W. 3 links dist; to
Hack 5 " " N 72 E. 41 " "
Good Oak Land.

West On the South Boundary of sec. 30. T. 8. N. R. 5 W.

40.00 Set a 1/4 section post from which a
B. Jack. 5 in. dia. bears N 57 E. 20 links dist; to
Hack 20 " " S 14 W. 14 " "

80.00 Set a post for the cor. of sec. 31 & 32 from which a
No timber

West On the South Boundary of sec. 31. T. 8. N. R. 5 W.

40.00 Set a 1/4 section post (no timber) in prairie.

80.00 Set a temporary post for the cor. of sec. 7 & 8 N. R. 5 W.

Surveyed by
James Holmes Ld.

East Boundary

North On the East Boundary of sec. 36. T. 8. N. R. 5 W.

5.00 To a Brook 6 links wide, Corner West

45

T. N. 8. N.R. N. 5 W. 2nd Mer. Ind.

40.00 Set a post from which
 Buck 8 in. dia. beam. N 65 E 3 links arb; & a,
 Ho. 16 " " " S 67 W. 8 " "
 41.00 To a Brook 10 links wide, Comes W.
 80.00 Set a post for the cor. of sec. 25 & 26. From which
 Logwood 6 in. dia. beam. S 8 E. 17 links arb; & a,
 Ho. 6 " " " N 28 E. 13 " "
 Good herb land; Timber Oak.

North On the East Boundary of sec. 25. T. 8. N.R. 5 W.
 12.00 To a Brook 3 links wide Comes W.
 26.00 To a Buck 20 in. dia. in the line.
 27.00 " " Brook 6 links wide, Comes W.
 40.00 Set a post from which
 Logwood 6 in. dia. beam. S 14 W. 14 links arb; & a,
 Hick 12 " " " N 72 E. 11 " "
 51.00 To a Brook 3 links wide, Comes W.
 80.00 Set a post for the cor. of sec. 24 & 25 from which
 Buck 30 in. dia. beam. S 15 E. 16 links arb; & a,
 Gum. 24 " " " N 3 W. 47 " "
 Land good; Timber Sugar, Buck, Oak, Poplar.

North On the East Boundary of sec. 24. T. 8. N.R. 5 W.
 20.00 To a Brook 5 links wide, Comes W.
 40.00 Set a post from which
 Buck 18 in. dia. beam. S 18 E. 21 links arb; & a,
 Sugar. 12 " " " N 42 W. 17 " "
 52.00 To a Buck 24 in. dia. in the line.
 53.00 " " Brook 3 links wide, Comes W.
 55.00 To a Ho. 10 " " " W.
 80.00 Set a post for the cor. of sec. 23 & 24 from which
 Oak 36 in. dia. beam. N 16 E. 27 links arb; & a,
 Buck 16 " " " S 4 W. 29 " "

T. N. 8. N.R. N. 5 W. 2nd Mer. Sud.

Sandwich and herb; Timber Buck Sugar, ash, &c.

North	On the East Boundary of sec 13. T. 8 N.R. 5 W
40.00	Set a 7/8 post from which on
	Elm 10 in. diam. trunk. N 16 E. 9 links north; & 2
	Heck 8 " " " N 16 W. 16 " "
42.50	To a Brook 10 links wide, Corner W.
80.00	Thence to the cor. of sec. 12 & 13: on an Ash 18 in. diam. from which a Hick. 20 in. diam. trunk. N 86 W. 24 links north; Hick. Sugar tree trunk.

North	On the East Boundary of sec. 12. T. 8. N.R. 5 W
40.00	Set a 7/8 post from which on
	Blackberry 14 in. diam. trunk. S 5 W. 37 links north; & 2
	Elm. 16 " " " N 10 E. 21 " "
77.75	To the Left Bank of White River; the cor. of sec. 1 & 12: with stand near the middle of the River; its round S.W. is 600 links wide. Sand River bottom.

North	On the East Boundary of sec. 1. T. 8. N.R. 5 W
40.00	Set a 7/8 post from which on
	Elm. 10 in. diam. trunk. N 87 W. 10 links north; & 2
	B Oak 15 " " " N 85 E. 5 " "
80.00	Set a temporary post for the cor. of T. 8 & 9 N.R. 5 & 4 W. Sand R. 1/2 mile River bottom; 2nd 1/2 Good land Timber Sugar, ash, Elm, Buckeye &c.

Surveyed by
James Holmes L.S.

North Boundary	
East	On a random line six miles and fell 6 ch. North of the Temp. 1/2 Imm. Cor. Corrected and marked the line
West	On the South Boundary of sec 36. T. 9. N.R. 5 W

40.00	Set a 7/4 sap post from which
	Buck. 8 in. dia. beam N 63 E. 12 links arb; & a
	Sugar. 14 " " " N 47 W. 9 " "
80.00	Set a post for the cor. of sec. 35 & 36. from which
	Wick 12 in. dia. beam N 65 W. 30 links arb; & a
	Hogwood 3 " " " N 61 E. 16 " "
West	On the South Boundary of sec. 35 T. 9 N.R. 577.
40.00	Set a 7/4 sap post from which
	W Oak. 14 in. dia. beam N 13 W. 36 links arb; & a
	Do. 18 " " " " N 4 E. 60 " "
80.00	Set a post for the cor. of sec. 34 & 35 from which
	W Oak. 11 in. dia. beam S 51 W. 24 links arb; & a
	R. Oak. 14 " " " " N 86 E. 47 " "
	Land for; timber Oak & Buck
West	On the South Boundary of sec. 34. T. 9 N.R. 577
40.00	Set a 7/4 sap post from which
	Gum. 12 in. dia. beam N 47 E. 37 links arb; & a
	W Oak. 15 " " " " N 36 E. 37 " "
80.00	Set a post for the cor. of sec. 33 & 34 from which
	Hogwood 4 in. dia. beam S 77 E. 10 links arb; & a
	Ash. 14 " " " " N 20 W. 13 " "
	Land including good; Timber Oak & S.
West	On the South Boundary of sec. 33. T. 9 N.R. 577
40.00	Set a 7/4 sap post from which
	Buck. 14 in. dia. beam S 39 W. 19 links arb; & a
	W Oak. 24 " " " " N 29 E. 38 " "
45.50	To a Brook. 12 links midy Comes S. W.
80.00	Set a post for the cor. of sec. 32 & 33 from which
	Gum. 10 in. dia. beam. N 44 W. 41 links arb; & a
	Do. 28 " " " " S 59 E. 38 " "

T. N. 8. N. R. N. 5 W. Quad Mm. Ind.

Land good; Timber Oak &c.

West On the South Boundary of sec. 32. T. 9 N. R. 5 W.
 8.00 To a Crak. 100 links wide, Corner S.
 40.00 Set a $\frac{1}{4}$ sap post from which
 Buck. 13 in. diam. beam. N 65 W. 4 links curb; &c.
 No. 20 " " " S 42 E. 20 " "
 64.25 To a Crak. 200 links wide, Corner S. E.
 77.00 To East River. 200 links wide, Corner N.
 80.00 Set a post for the cor. of sec. 31 & 32 from which
 Hick 30 in. diam. beam. N 55 W. 25 links curb; &c.
 Hackberry 20 " " " S 44 E. 35 " "
 Land good; Timber Sugar Bush, Walnut, &c.

West On the South Boundary of sec. 31. T. 9 N. R. 5 W.
 4.05 To River 200 links wide, Corner S. E.
 40.00 Set a $\frac{1}{4}$ sap post from which
 Oak. 18 in. diam. beam. S 62 W. 17 links curb; &c.
 No. 22 " " " N 15 E. 50 " "
 52.00 To River 200 links wide, Corner N. E.
 70.50 " No. 200 " " " S. E.
 80.00 Set 300 links South of the timber, from cor. and set
 a post for the cor. of Towns 8. & 9 N. R. 5 & 6 W. from which
 an Oak. 12 in. diam. beam. N 36 E. 46 links curb; &c.
 Hick 13 " " " S 17 W. 55 " "
 Land not River bottom.

West Boundary

Apr. 20 1811

North On the East Boundary of sec. 36. T. 8. N. R. 6 W.
 40.00 Set a $\frac{1}{4}$ sap post no timber
 80.00 Set a post for the cor. of sec. 35 & 36 from which
 Hick 12 in. diam. beam. N 83 W. 83 links curb,
 no other trees near.

North	On the East Boundary of Sec. 25. T. 8. N. R. 6 W.
40.00	Set a 7/8 post from which
	Run 12 in. diam. beam. S 3 E. 122 links each;
	No other tree near
80.00	Set a post for the cor. of sec. 24 & 25 from which
	Run 15 in. diam. beam. N 57 W. 25 links each; to
	W Oak 24 " " S 3 E. 54 " "
	Sound hole; Timber Oak, & White.
North	On the East Boundary of Sec. 24. T. 8. N. R. 6 W.
40.00	Set a 7/8 post in Prairie. no timber
80.00	Set a post for the cor. of sec. 13 & 24 in a swamp. no timber
North	On the East Boundary of Sec. 13. T. 8. N. R. 6 W.
26.50	To a W Oak. 14 in. diam. in the line.
40.00	Set a 7/8 post from which
	Run 24 in. diam. beam. S 60 W. 58 links each; to
	No. 20 " " N 37 E. 42 " "
80.00	Set a post for the cor. of sec. 12 & 13 from which
	Run 24 in. diam. beam. S 64 W. 3 links each; to
	Run 16 " " N 64 E. 27 " "
	Sound hole; Timber Oak & C.
North	On the East Boundary of Sec. 12. T. 8. N. R. 6 W.
35.50	To a W Oak. 24 in. diam. in the line.
40.00	Set a 7/8 post from which
	Run 16 in. diam. beam. S 74 W. 17 links each; to
	No. 15 " " " " " "
80.00	Set a post for the cor. of sec. 1 & 12 from which
	Run 15 in. diam. beam. S 10 E 83 links each; to
	Sound hole; Timber Oak, & C.
North	On the East Boundary of Sec. 1. T. 8. N. R. 6 W.

T. N. 8. N.R. No 57. 2nd Mer. Ind.

7.50	To a W Oak 16 in diam. stands in the line.
40.00	Set a 14 th post from which a W Oak 3 in. diam. bears N 55 W. 20 links out; & a Hick 3 " " " S 40 E 53 " "
80.00	Set a temp. 1/4 post for the cor. of T. 8 & 9 N.R. 5 & 6 W. Saw deepoor Oak land.
Surveyed by James. Holmes. L.S.	

Subdivisions.

North	Between Sec. 35 & 36. T. 8 N.R. 5 W.
10.25	To a Sum. 20 in diam. in the line.
40.00	Set a 14 th post from which a W Oak 18 in. diam. bears S 63 E. 31 links out; & a R Oak 36 " " " N 57 W. 31. "
60.00	To a Brook 10 links wide, Corner E.
64.00	" " Poplar 18 in diam. in the line.
80.00	Set a post for the cor. of Sec. 25, 26, 35 & 36 from which an Iron rod 8 in diam. bears N 79 W. 28 links out; & a Sugar. 24 " " " N 71 E 63. " Saw deepoor; Timber Sugar, Birch, & Walnut. W. Spr.

East	On a Run arm line between Sec. 25 & 36. T. 8 N.R. 5 W.
32.30	To a Brook 30 links wide, Corner S. E.
40.00	Set a temp. 1/4 post
79.87	Intersect the East Run at 15 links North of the post cor of Sec. 25 & 36.

West	On the true line between Sec. 25 & 36. T. 8 N.R. 5 W.
39.93	Set the temp. 1/4 post at the av. cross in the true line from which a Gum. 36 in diam. bears S 43 E 6 links out and a Birch 15 " " " N 77 W. 11. "
79.87	To the post cor of Sec. 25 & 26, 35 & 36.

51

T. N. 8. N. R. N. 5 W. 9th (Mn. Ind.?)

Land level. Timber. Oak. Poplar. Birch. &c. W. 3. Spice &c.

North Between Sec. 25. & 26. T. 8. N. R. N. 5. W.
 14. 00 To a Walnut 14. in. diam. stands in the line.
 20. 50 To a Creek 30 links wide. Course W.
 40. 00 Get a post for the cor. of $\frac{1}{4}$ Sec. from which a
 W. Oak 24. in. diam. bears S. 40. W. 18. links dist. & a
 Birch 12. " " " N. 70. E. 46. " "
 54. 00 To a Brook 10. links wide. Course S. E.
 59. 00 To a Sugar 15. in. diam. stands in the line.
 80. 00 Get a post for the cor. of sec. 23. 24. 25. & 26. from which
 a Birch 16. in. diam. bears S. 28. links dist. & a
 Do. 14. " " " N. 40. E. 16. " "
 Land level. Timber. Birch. Sugar &c. W. 9. Spice.

East On a Random line between Sec. 24. & 25. T. 8. N. R. N. 5. W.
 40. 00 Get a temp. $\frac{1}{4}$ sec. post.
 79. 90 Intersect the East Boundary 20. links N. of the post
 cor. of sec. 24. & 25.

West On the true line between Sec. 24. & 25. T. 8. N. R. N. 5. W.
 39. 95 Get the temp. post for the cor. of $\frac{1}{4}$ sec. at the even dist.
 on the true line from which a
 Gum 8. in. diam. bears S. 49. E. 16. links dist. & a
 Maple 20. " " " N. 70. W. 6. " "
 79. 90 To the post cor. of Sec. 23. 24. 25. & 26.
 Land on this mile level. Timber Oak Birch & Hick.
 Undergrowth Spice &c.

North Between Sec. 23. & 24. T. N. 8. N. R. N. 5. W.
 30. 50 To a Birch 12. in. diam. stands in the line.
 40. 00 Get a $\frac{1}{4}$ Sec. post from which a Poplar 63. in. diam. bears S. 42. E. 23.
 links dist. & a Hick. 12. in. diam. bears N. 33. W. 11. links dist.

T. No 8. N. R. No 5 W. 2nd Mer. Sud.

80.00 Set a post for the cor. of Secs 13, 14, 23 & 24 from which
a Birch 24 in. diam. bears S. 15. E. 22. links dist. &
Sugar 8 " " " N. 5. E. 10. " "
This mile is broken land. Timber Sugar. Birch & Ag. Spruce

East On a Random line between Secs 13, 14, 23 & 24. T. 8. N. R. 5 W.
17.00 To a Birch 40 links wide, Corner -
40.00 Set a temp. 7' 1/2 in. post.
80.10 Intersect the East Bound at 20 links North of the post
cor. of sec. 13 & 24

West On the true line between Secs 13 & 24 T. 8. N. R. 5 W.
40.05 Set the temp. 7' 1/2 in. post at the cor. where the true line
from which W Oak 8 in. diam. bears N 10 W. 10 links dist.
under a Birch 12 " " " N 70 E. 10 " "
80.10 To the post cor. of sec. 13, 14, 23 & 24
Sand bar; Timber Sugar, Birch & Poplar, W. Spruce

North Return Secs 13 & 14 T. 8. N. R. 5 W.
5.80 Set a post on the Left Bank of White River for the cor.
of sec. 13 & 14 from which a
Sugar 10 in. diam. bears West 15 links dist. &
Maple 8 " " " S 35 E. 25 " "

North Continued the line between Secs 13 & 14:
Set a post on the Right Bank of W. River cor. of sec.
13 & 14 from which
Ash 10 in. diam. bears N 40 E. 20 links dist. &
Red Bud 8 " " " S 65 W. 4 " "

20.10 Set a 7' 1/2 in. post from which cor.
Elm 48 in. diam. bears N 30 E. 40 links dist. &
Sugar 20 " " " S 70 W. 30 " "

62.10 Set a post for the cor. of sec. 11, 12, 13 & 14 from which
W Oak 20 in. diam. bears N 75 W. 19 links dist. &

Heik 14 in. dia. beam 948 E. 29 links each,
This line over River bottom; rich soil. Timber Oak
Buck & Walnut, Sugar, 118 Spm

East
34.00 Between Sec. 12 & 13 T. 8. N. R. 5 W.
Set a post on the Right Bank of W. River crossed for the
cor. of road. Sec. 12 & 13 from which
Sugar. — in. dia. beam 919 N. 6 links each; &c.
Sugar. 15 " " 113 E. 7 " "
Gravel River bottom; Timber Hackberry, Sugar, Buck.
and 1st Spm. Rich soil.

West
39.75 Between Sec. 12 & 13 T. 8. N. R. 5 W.
Set a post on the Left Bank of White River for the
cor. of road. Sec. 12 & 13 from which
Buck. 14 in. dia. beam 917 N. 8 links each; &c.
Oak. 8 " " 155 E. 15 " "
Gravel River bottom; Timber Buck, Walnut, Hack-
berry, &c. and 1st Spm &c.

North
39.30
40.00
80.00 Between Sec. 11 & 12 T. 8. N. R. 5 W.
To Spanish Oak, 48 in. dia. in the line.
Set a post from which
Heik 15 in. dia. beam 134 E. 20 links each; &c.
Oak. 5 " " 33 N. 25 " "
Set a post for the cor. of road 1. 2. 11 & 12 from which
Oak 12 in. dia. beam 164 E. 59 links each; &c.
Heik 6 " " 61 N. 19 " "
Gravel bottom; good soil. Timber Oak, Heik 14,
and 1st Spm.

East
24.00
70.50 On a Random line between Sec. 1 & 12 T. 8. N. R. 5 W.
Set a trip 1/4 in. post
Set a post on the Right Bank of White River for the cor.

T. N^o 8. N.R. N^o 57. 2nd Nov. Ind.

off road. Set 1. + 12 from which
 Hick 15 in. dia. trees N 44 E. 13 links north; S
 R. Haw. 8 " " " 971 N. 12 " "
 Land broken soil good; Timber Oak, Hick, S. W. Spine.

West
 28.50 Cut the line between Set 1. + 12 T. 8. N.R. 57.
 Get a new post from which
 W. Oak. 12 in. dia. trees S 33 E. 20 links north; S
 Hick 12 " " " 963 N. 28 " "
 68.50 To the post cor of Set 1. 2. 11. + 12.

North
 27.50 Between Set 1. + 12 T. 8. N.R. 57.
 To Brook. 6 links north, Corner N.E.
 29.56 To a: 40. 4 " " " C.
 40.00 Get a new post from which
 W. Oak. 24 in. dia. trees S 16 N. 13 links north; S
 W. Oak. 10 " " " N 57 E. 23 " "
 64.70 To Brook. 6 links north, Corner N.E.
 74.54 Enter at the N. Road. can be set a post for the cor of
 Set 1. + 12 from which
 Hick 12 in. dia. trees S 45 W. 18 links north; S
 W. Oak. 30 " " " N 65 E. 58 " "
 Land broken; Timber Oak, Hick, S. W. Spine

North
 5.00 Between Set 34. + 35. T. 8. N.R. 57.
 To Brook. 10 links north, Corner W.
 40.00 Get a new post from which
 Sugar. 26 in. dia. trees N 20 W. 31 links north; S
 Hick 15 " " " 911 N. 18 " "
 54.70 To Spr. Oak 36 in. dia. in the line.
 80.00 Set a post for the cor of Set 26, 27, 34 + 35 from which
 This with over level land; rich soil Timber 1 Brook,
 Walnut, Sugar, S. W. Spine.

T. No 8 N. R. No 5 W. 2nd Mer. Ind.

East	On a Random line between Sec. 26. & 35. T. 8. N. R. 5. W.
17.50	To a Brook 15 links wide. Course N. W.
40.00	Set a temp. $\frac{1}{4}$ Sec. Post
79.96	Intersect the N. & S. line 20 links S. of the post cor. of sec. 25. 26. 35 & 36.
West	On the true line between Sec. 26. & 35. T. 8. N. R. 5. W.
39.98	Set the temp. $\frac{1}{4}$ Sec. post at an arb. on the true line from which a Sugar 15 in. dia. trees S 45 E. 7 links arb; & a, " " " " North 18 " " "
79.96	To the post cor. of sec. 26. 27. 34 & 35. This mile is broken land; Timber Birch, Sugar,
South	Between Sec. 26. & 27. T. 8. N. R. 5. W.
38.50	To a Brook. 10 links wide, Course W.
40.00	Set a $\frac{1}{4}$ Sec. post from which a
	Buck. 30 in. dia. trees N 42 W. 54 links arb; & a, " " " " S 70 E. 12 " " "
67.50	To a Brook. 30 links wide, Course W.
80.00	Set a post for the cor. of sec. 26, 27, 34 & 35 from which a
	" Oak. 18 in. dia. trees N 70 W. 12 links arb; & a, " " " " N 50 E. 42 " " "
	Sand bar; Timber Birch, Sugar, & Walnut, & Spruce
East	On a Random line between Sec. 23. & 26. T. 8. N. R. 5. W.
40.00	Set a temp. $\frac{1}{4}$ Sec. post
80.20	Intersect the N. & S. line at the post cor. of sec. 23, 24, 25 & 26
West	On the true line between Sec. 23. & 26. T. 8. N. R. 5. W.
40.10	Set the temp. $\frac{1}{4}$ Sec. post at an arb. on the true line from which a
	Buck. 14 in. dia. trees N 35 E. 25 links arb, and a Sugar. 18 " " " " S 35 W. 21 " " "
80.20	To the post cor. of sec. 22, 23, 26, & 27.

Tⁿ 8. N.R. N^o 5 W. 2nd Mer. Ind.Landholm; Timber Beet, Sugar, W⁸ Spruce.

North Return Lat. 22 & 23 Tⁿ 8. N.R. 5 W.
 35.50 To a Brook 10 links mid, Course E.
 40.00 Set a ¹/₄ sap post from which
 a Beet. 8 in. diam. trunk S 34 E. 16 links arch; & a
 "Oak. 14" " " West. 25 " "
 80.00 Set a post for the cor. of sec. 22, 23, 26 & 27 from which
 a Beet. 36 in. diam. trunk N 45 E. 3 links arch; & a
 "Do. 14" " " S E. 45 " "
 Land broken; Timber Sugar, & Beet, W⁸ Spruce.

West Return Lat. 14 & 23 Tⁿ 8. N.R. N^o 5 W.
 34.50 To a Brook 15 links mid. Course S.
 40.00 Set a ¹/₄ sap post from which
 a Sugar. 10 in. diam. trunk N 14 E. 10 links arch; & a
 Walnut. 8 " " " N 85 W. 7 " "
 45.00 To a Sugar. 24 in. diam. stands in the line.
 80.00 Set a post for the cor. of sec. 14, 15, 22, & 23 from which
 a Maple. 6 in. diam. trunk N 7 E. 2 links arch; & a
 Maple. 8 " " " S 54 E. 3 " "
 Land broken; Timber Sugar, Beet, & W⁸ Spruce

North Return Lat. 14 & 15 Tⁿ 8. N.R. 5 W.
 40.80 Set a ¹/₄ sap post on the Left Bank of W. River from which
 a Beet. 24 in. diam. trunk S 22 W. 7 links arch; & a
 Juniper. 6 " " " N 40 E. 10 " "
 Land bottom; Timber Hackberry, Sugar, W⁸ Spruce
 North Continued between 14 & 15. Set a post on the Right Bank
 of White River. for the cor. of 1st sec. Lat. 14 & 15 from which
 an Ash 36 in. diam. trunk S 86 E. 7 links arch; & a
 "Do 8 " " " N 74 W. 35 " "
 35.20 Set a post for the cor. of sec. 10, 11, 14 & 15 from which

57

T. No 8. N.R. No 57. D. M. S. Ind.

Wackberry 18 in diam. trees. S33 N. 4 units each; &
 W. Oak. 10 " " " N60 E. 32 " "
 Land broken; Timber Oak, Walnut, Sugar, W. Spruce.

Each Quakamum line between Lat. 11. & 14 T. 8. N. R. 57
 20.25 To a Poplar 50 in diam. in the line.
 25.50 To a Branch 15 units wide, Corner S.
 40.00 Set a 1/4 in. post
 80.00 Set out the N. 5 line at the post cor. of Lat. 11 & 13 & 14

West On the line between Lat. 11 & 14 T. 8. N. R. 57.
 40.00 Set a post 1 1/4 in. post at the av. diam. in the line
 from which W. Oak. 18 in diam. trees. S39 N. 3 units each
 and a Sugar 10 " " " N27 N. 18 " "
 80.00 To the post cor. of Lat. 10. 11. 14 & 15.
 Land broken; Timber Birch, Sugar, & Poplar, Rich
 soil under the Spruce. &c.

North Return Lat. 10. & 11 T. 8. N. R. 57
 40.00 Set a 1/4 in. post from which
 Birch. 8 in. diam. trees N28 E. 19 units each; & an
 Oak. 18 " " " S71 N. 20 " "
 50.00 To a W. Oak. 20 in diam. stand in the line.
 80.00 Set a post for the cor. of Lat. 2, 3, 10 & 11. from which
 W. Oak. 14 in. diam. trees. N81 E. 38 units each; & a
 Ho. 18 " " " N88 N. 24 " "
 Land broken; Timber Oak & Birch, &c. W. Spruce; not
 level.

West Between Lat. 2. & 11 T. 8. N. R. 57. Low line.
 30.00 To a Spanish Oak 36 in. diam. in the line
 40.00 Set a post for the cor. of 1/4 in. from which
 W. Oak. 30 in diam. trees. N6 E. 34 units each; & a

T. N. 8. N. R. N. 5 W. 2nd Mer. Ind.

80.00	<p>Logwood 6 in. diam. beam. S52 N. 23 links dist.</p> <p>Set a post for the cor. of sec. 2, 3. 10 & 11</p> <p>This mile over broken land; Timber Oak & Hickory</p> <p>Undergrowth Sassafras & Maple. Land good for farming</p>
North	Between Sec. 2 & 3 T. 8. N. R. 5 W.
35.70	To a Poplar. - in diam. in the line.
40.00	<p>Set a post from which on</p> <p>Ash. 14 in. diam. beam. S61 W. 60 links dist; &</p> <p>Bech. 18 " " " N78 E. 55 " "</p>
75.00	<p>Set a post at the N. Boundary and set a post for the cor. of sec. 2 & 3 from which on</p> <p>W. Oak. 20 in. diam. beam. N85 W. 8 links dist; &</p> <p>Lg. 20 " " " S70 E. 40 " "</p> <p>Land sub. rich soil; Timber Oak, Poplar, &</p> <p>Undergrowth Spruce. &</p>
North	Between Sec. 33 & 34 T. 8 N. R. 5 W.
4.00	To the Right Bank of White River
10.00	<p>Set a post on the Left Bank of White River for the cor. of sec. 33 & 34 from which on</p> <p>Lug. 10 in. diam. beam. N20 E. 8 links dist; &</p> <p>Ash. 15 " " " N46 W. 20 " "</p>
36.00	<p>Set a post on the Left Bank of White River from which</p> <p>Bech. 15 in. diam. beam. West 30 links dist &</p> <p>Lug. 12 " " " S25 E. 40 " "</p>
42.70	<p>Set a post on the Right Bank of White River from which</p> <p>a Logwood 8 in. diam. beam. S25 E. 10 links dist; &</p> <p>Maple. 5 " " " N15 E. 14 " "</p>
68.81	<p>Set a post on the Right Bank of W. River 5 1/5 mile from which</p> <p>a Cottonwood 24 in. diam. beam. N51 W. 11 links dist; &</p> <p>Maple. 10 " " " S88 E. 27 " "</p>
South	Between Sec. 33 & 34 T. 8 N. R. 5 W.

4.00	Set apart on the Left Bank of White River for the cor. of sec. 33 & 34 from which Walnut 6 in. diam. trees N 57 - 7 limbs each; & a, Ho. 8 " " " S N. 70 E. 10 " "
West	Return Sec. 27 & 34 T. 8 N.R. 57.
5.00	To a bar. 30 the river, lower T. 7.
4.00	Set a 1/4 sec. post from which a Hick 10 in. diam. trees S E. 23 limbs each; & a, Walnut 8 " " " NW. 6 " "
80.00	Set apart for the cor. of sec. 27, 28, 33 & 34 from which Mulberry 12 in. diam. trees S E. 15 the each; & a, Hackberry 20 " " " N 53 W. 12 " "
North	Return Sec. 27 & 28. T. 8. N.R. N. 57.
15.50	To an Oak 18 in. diam. stands in the river.
40.00	Set a 1/4 sec. post from which a Buck 24 in. diam. trees N 37 W. 29 limbs each; & a, Hackberry 18 " " " NW. 6 " "
80.00	Enter at the E & West line at the post cor. of sec. 21, 22, 27 & 28. Land bottom rich soil; Limbs Oak, Hackberry, Buck, Sugar, Nutt Spin.
West	Return Sec. 27 & 28 T. 8 N.R. 57
40.00	Set a 1/4 sec. post from which a Buck 8 in. diam. trees N 68 W. 12 limbs each; & a, Ho. 10 " " " S 87 E. 26 " "
50.50	To a Hick 36 in. diam. stands in the river.
80.00	Set apart for the cor. of sec. 21, 22, 27 & 28. from which a Hackberry 18 in. diam. trees S 8 W. 6 limbs each; & a, Ho. 15 " " " N 88 E. 16 " "
	This mile is level land; Limbs Hackberry Walnut Sugar, Nut Spin. & a

T. N. 8. N. R. N. 57. 2nd Mer. Sur.

North	Return Sur. 21 & 22 T. 8. N. R. 57.
30.00	To the Left Bank of White River; Offset 250 links 16.00 Ch. East Bank. or Left Bank.
63.00	Set a post on the Left Bank of River. N. from which an Elm 14 in. diam. bears N 39 E. 10 links dist; & a Hackberry 8 " " " S 20 E. 30 " "
North	Continued between Sur. 21 & 22 North side of River
	Set a post on the Right Bank of W. River from which Willow 80 in. diam. bears S 50 E. 7 links dist; & a Lo. 8 " " " N 37 W. 8 " "
11.00	Set a post for the cor. of sur. 15, 16, 21 & 22 from which a Buck 14 in. diam. bears S 80 E. 30 links dist; & a Lo. 10 " " " N 63 W. 43 " "
East	Return Sur. 15 & 22 T. 8. N. R. 57.
14.50	To a post 30 in. diam. in the line.
40.00	Set a post from which Walnut 7 in. diam. bears S 20 W. 12 links dist; & a Lo. 10 " " " N 45 E. 20 " "
53.00	Set a post on the Right Bank of W. River from which Buck 24 in. diam. bears S 40 E. 14 links dist; & a Alder 8 " " " N 70 W. 18 " "
	Land River bottom; rich soil; Timber Hackberry Walnut & Sugar. All Spr.
West	Return Sur. 15 & 22 T. 8. N. R. 57.
8.50	Set a post on the Left Bank of W. River N. W. from which a Willow 8 in. diam. bears N 50 W. 5 links dist and a Lo. 6 " " " S 30 E. 10 " "
North	Return Sur. 15 & 16 T. 8. N. R. 57.
40.00	Set a post from which Oak 30 in. diam. bears N 58 W. 12 links dist Oak 18 " " " N 82 E. 21 " "

61

T. N. & N. R. N. 5 W. 2nd Mer. Sud?

80.00	Set a post for the cor. of sec. 9, 10, 15 & 16 from which a Beck. 18 in dia: trees N 55 W 43 links dist; & a do. 12 " " " S 85 E 13 " " Lands broken; good soil; Timber Beck, Sugar, oak &c. Spruce and 8th
Cash	On a Run & line between Sec. 10 & 15 T. 8 N. R. 5 W
40.00	Set a temp. 7 1/4 in post
80.00	Intro cut the N 5 W line at the post cor. of sec. 10, 11, 14 & 15
West	On the new line between Sec. 10 & 15 T. 8 N. R. 5 W
40.00	Set the temp. 7 1/4 in post at a cor. dist in the new line from which a W Oak. 15 in dia: trees. N 45 E 46 links dist under do. 18 " " " " S 65 W 33 " "
80.00	Set the post cor. of sec. 9, 10, 15 & 16. Lands broken; Timber Oak Beck, Walnut, Sugar, &c. and 8th Spruce &c. good soil.
North	Between Sec. 9 & 10 T. 8 N. R. 5 W.
15.00	Iron Beck. 20 links wide; Corner W.
19.75	" " Beck. 20 in dia: in the line.
40.00	Set a temp. post from which a Querc. 20 in dia: trees. S 60 W 10 links dist; & a Hickory 15 " " " " N 10 E 23 " "
80.00	Set a post for the cor. of sec. 3, 4, 9 & 10 from which a
80.00	Walnut. 24 in dia: trees S 63 E 10 links dist; & a Beck. 14 " " " " S 87 W 40 " " Lands broken; Timber Oak Beck, Poplar &c. W. Spruce Rich soil.
Cash	On a Run and line between Sec. 3 & 10 T. 8 N. R. 5 W
40.00	Set a temp. 7 1/4 in post
80.00	Intro cut the N 5 W line at the post cor. of sec. 2, 3, 10, & 11

D. N. 8. N.R. N. 5 W. 2nd Mer. Sud.

West	At the same time between Lat. 34° 10' 78 N. R. 5 W.
40.00	Set the temp. 142° post at the arr. arch on the same line from which. Diam. 20 in. dist. from S 77 E. 10 the arch made a Sugar 20 " " " N 77 W. 31 " "
80.00	To the post cor. of Lat. 3, 4, 9, & 10 Ground not soil; Timber Birch, Poplar Sugar & 100 th Spruce.
North	Between Lat. 34° 4' 78 N. R. 5 W.
25.50	To a Poplar. 24 in. dist. in the line.
40.00	Set a 79° post from which a Birch. 10 in. dist. from S 63 W. 20 into arch; & a Poplar. 12 " " " N 19 E. 20 " "
75.00	Enter at the N. B. and set a post for the cor. of Lat. 34° from which a Oak 20 in. dist. from S 36 W. 37 into arch; & a Arch. 10 " " " N 37 W. 48 " "
	Ground broken; Birch soil; Timber Oak, Birch, Pop- lar. & 118 th Gallopas.
North	Between Lat. 32° 43' 78 N. R. 5 W.
5.40	To a Poplar. 20 in. dist. in the line.
5.50	" " Brook 8 in. dist. from, comes S. E.
25.00	To Bottom.
40.00	Set a 74° post from which a Gallopas 8 in. dist. from. N 75 E. 29 the arch; & a Oak 15 " " " S 5 W. 39 " "
59.50	To a Brook 10 W. dist. comes W.
75.00	" " Prairie
80.00	Set a post for the cor. of Lat. 28. 29 32 & 33 in the East end of a large prairie.
East	On a random line between Lat. 28. & 33 78 N. R. 5 W.

T. N. 8. N.R. N. 5 W. 2nd Mer. Sud.

5.00	To timbered Land
9.75	To a Hick 12 in. diam. in the line.
40.00	Set a 70 sap post from which a
	Sassafras 2 in. diam. trees. N 75 E. 29 links dist; & a
	Elm. 15 " " " S 55 W. 39 " "
59.50	To a Brook 10 links wide, across W.
45.00	" " Prairie
40.00	Set a 70 sap post from which a
	Elm. 4 in. diam. trees. S 42 W. 4 links dist; & a
	Sugar 12 " " " N 17 E. 49 " "
	This half mile bottom bottom; soil rich; timber ash
	& Walnut.
44.79	To the Right Bank of White River & set a post for the cor.
	of cor. 28 & 33 from which a
	Willow 8 in. diam. trees. N 23 E. 14 links dist; & a
	Cottonwood 28 " " " S 33 W. 29 " "
50.29	To the Left Bank of River.
West	Between Sud 28 & 33. T. 8. N.R. 5 W. East side River
31.00	Set a post on the Left Bank of White River N. from
	which a Maple 14 in. diam. trees. - 70 E. 3 links dist
	and on Elm. 6 " " " S 75 W. 7 " "
Brook	Between Sud. 28. & 29 T. 8. N.R. 5 W.
39.00	To timbered land.
40.00	Set a 74 sap post from which a
	W. Oak. 10 in. diam. trees. N 46 E. 4 links dist; & a
	P. Oak. 8 " " " S 26 W. 17 " "
71.30	To a P. Oak. 20 in. diam. in the line.
80.00	Set a post for the cor. of cor. 20 21. 28 & 29 from which a
	P. Oak. 36 in. diam. trees. S 44 W. 8 links dist; & a
	Hick 10 " " " N 81 E. 75 " "
	Land hard; timber Oak, Hick, & W. Maple.

T. N. 8. N.R. N. 57. 2nd Mer. Sud:

East	Between Sur. 21 & 28 T. 8. N.R. 57.
40.00	Set a 7/8 th sap post from which Oak. 14 in. dia: beam S 82 W. 36 units curb; & a Do. 12 " " " S 52 E. 60 " "
69.69	Set a post on the Right Bank of N. River from which Oak. 21 in. dia: beam N 2 E. 6 units curb; & a Oak. 18 " " " S 65 W. 20 " "
	Land low soil rich; Timber Oak, Hick. & N. Spruce.
West	Between Sur. 21 & 28 T. 8. N.R. 57.
5.00	Set a post on the Left Bank of N. River N.E. from which Maple. 10 in. dia: beam N 31 W. 7 units curb; & a Do. 10 " " " S 2 E. 7 " "
North	Between Sur. 21 & 20 T. 8. N.R. 57.
25.00	To a Prairie.
40.00	Set a 7/8 th sap post in prairie
55.00	To timbered land.
80.00	Set a post for the cor. of Sur. 16, 17, 20 & 21 from which Post Oak 12 in. dia: beam S 80 W. 50 units curb; & a The above post in open barrens. Land low; Timber Oak, Hick. & N. and S th Spr.
East	On a Random line between Sur. 16 & 21 T. 8. N.R. 57.
35.40	To a Creek. 20 units curb, Conner Co.
40.00	Set a temporary 7/8 th sap post; Creek. 20 units curb, Conner Co.
45.00	To El River 200 units curb, Conner Co.
50.00	Intersect the N. 7 S line 20 units South of the post cor. of Sur. 16, 21, & 22.)
West	On the true line between Sur. 16 & 21 T. 8. N.R. 57.
40.00	Set the temporary 7/8 th sap post at above cor. on the true line from which a Maple. 20 in. dia: beam S 35 W. 42 units curb

T. N. 8. N.R. N. 5 W. 2nd Mer. Ind.

80.10	<p>Quack. 20 in. diam. beam. N 2 E. 24 links dist;</p> <p>To the post cr. of sec. 16. 17. 20. & 21.</p> <p>Sand head bar nit; Timber Quack, Sugar, & Oak</p> <p>Undergrowth Spruce.</p>
North	Return Sec. 16 & 17 T. 8. N.R. 5 W.
40.00	Set a 7/4 support in barrens on the East side of a hill
80.00	<p>Set a post for the cr. of sec. 8. 9. 16. & 17 from which an</p> <p>Oak 6 in. diam. beam. S 20 W. 24 links dist; & a,</p> <p>Oak 10 " " " N 25 W. 34 " "</p> <p>This mile is over. level land; Prairie & barrens.</p>
East	Cross Random line between Sec. 16. & 19 T. 8. N.R. 5 W
10.00	To a Brook. 15 links wide, Corner NW
23.30	To Eel River, 300 lbs wide, Corner S.E.
40.00	Set a temp. 7/4 support
40.50	To Eel River 250 links wide, Corner S.
52.00	To do. do. 255 " " " S.
80.00	Intersect the NTS line at the post cr. of Sec. 9. 10. 15 & 16.
West	On the new line between Sec. 9 & 16 T. 8. N.R. 5 W.
40.00	<p>Set the temp. 7/4 support at av. dist on the new line from which</p> <p>a spr. Oak 18 in. diam. beam. S 28 W. 23 links dist; & a,</p> <p>Sycamore 20 " " " N 47 E. 11 " "</p>
80.00	To the post cr. of sec. 8. 9. 16. & 17.
North	Return Sec. 8. & 9 T. 8. N.R. 5 W.
2.50	To a Brook. 15 links wide, Corner E.
29.00	<p>To a Sassafras 26 in. diam. near the bank of Eel River</p> <p>the line running the bank. 1200 lbs. N.E.</p>
40.00	Set a 7/4 support from which
	<p>Maple 5 in. diam. beam S 41 E. 10 links dist; & a,</p> <p>Walnut. 15 " " " N 31 W. 14 " "</p>

T. N. 8. N.R. N. 57. Quad Mer. Sud.

47.91 To Oak River 200 links wide, Course E.
 80.00 Set a post for the cor. of Sec. 4, 5, 8 & 9. From which
 a Buck 24 in. diam. beam. S 70 E. 15 links north; & a
 Oak 15 " " S 79 N. 30 " "
 This mile is river bottom; Timber Sycamore, Wal-
 nut, Sugar, & Mud^g Spruce.

East On a Ransom line between Sec. 4 & 9 T. 8. N. R. 5 W.
 40.00 Set a temp. 7/4 cu post
 80.00 Enter at the N & S line at the post cor. of sec. 3, 4, 9 & 10.

West On the true line between Sec. 4 & 9 T. 8. N. R. 5 W.
 40.00 Set the temp. 7/4 cu post at av. dist. on the true line from
 which an Oak 20 in. diam. beam. S 77 N. 10 links north;
 & a Buck 20 " " N 80 N. 31 " "
 80.00 Set the post cor. of sec. 4, 5, 8 & 9.
 This mile is level land; Soil rich; Timber Oak, Buck
 and Poplar, Mud^g Spruce.

North Return Sec. 4 & 5 T. 8. N. R. 5 W.
 25.30 To a Buck 18 in. diam. in the line.
 40.00 Set a 7/4 cu post from which a
 Sugar 10 in. diam. beam. N 60 N. 15 links north; & a
 Oak 12 " " S 46 E. 16 " "
 62.00 To a Brook 20 links wide, Course W.
 76.00 Enter at the N. R. bound. and set a post for the cor. of
 sec. 4 & 5 from which a
 Sp. Oak 36 in. diam. S 73 N. 18 links north; & a
 Birch 8 " " S 44 E. 8 " "
 This mile level; Timber Oak, Poplar, Buck, Sugar & S.
 rich soil; Mud^g Spruce.

North Return Sec. 31 & 32 T. 8. N. R. 5 W.

T. N. 8. N.R. N. 5 W. Quid Mm. Sud?

67

40.00	Set a 7/4 sup post in prairie.
80.00	Set a post for the cor. of sec. 29. 30. 31 & 32 in prairie. Land here not prairie.
East	On a Kansas line between Sec. 29 & 32 T. 8. N.R. 5 W.
40.00	Set the temp. 7/4 sup post in prairie.
80.04	Intersect the N & S at the cor of sec. 28. 29. 32 & 33. in prairie
West	On the true line between Sec. 29 & 32 T. 8. N.R. 5 W.
40.00	Set the temp. 7/4 sup post at an dish on the true line in prairie.
80.04	To the post cor. of sec. 29. 30. 31. & 32. Land prairie; soil rich.
West	Between Sec. 30. & 31. T. 8. N.R. 5 W.
40.00	Set a 7/4 sup post in prairie
80.60	Intersect the West Boundary. This mile is not prairie.
North	Between Sec. 29. & 30 T. 8. N.R. 5 W.
40.00	Set a 7/4 sup post. in a prairie
80.00	Set a post for the cor. of sec. 29. 30. 19 & 20 in prairie. This mile is prairie land rich soil.
East	On a Kansas line between Sec. 20 & 29 T. 8. N.R. 5 W.
40.00	Set a post temp. 7/4 sup post.
80.00	Intersect the N & S line at the post cor of sec. 20. 21. 28 & 29
West	On the true line between Sec. 20 & 29. T. 8. N.R. 5 W.
40.00	Set the temp. 7/4 sup post at an dish in the true line in prairie
80.00	To the post cor of sec. 19. 20. 29 & 30

T. No 8. N.R. No 5 W. 2nd Mer. Sud:

Land prairie and barrens. Timber Oak & Hick

West	Return Lat 19 & 20 T. 8 N.R. 5 W.
40.00	Set a 1/4 sec post in prairie
80.90	Intersect the West Boundary in prairie. Land soil not prairie
North	Return Lat 19 & 20 T. 8 N.R. 5 W.
40.00	Set a 1/4 sec post in prairie in prairie.
50.00	To timbered land.
80.00	Set a post for the cr. of lat. 17. 18. 19 & 20 from which W. Oak. 24 in dia: bears N 84 W. 47' back dist; 42 Hick 14 " " " N 79 E. 33 " " This mile has barrens and prairie. in different Soil Timber Oak.
East	On a random line between Lat 17 & 20 T. 8. N.R. 5 W.
20.75	To a prairie
40.00	Set a temp. 1/4 sec post in prairie.
80.00	Intersect the N & S line at the post cr. of lat. 16. 17. 20 & 21.
West	On the true line between Lat 17 & 20 T. 8. N.R. 5 W.
40.00	Set the temp. 1/4 sec post at av. dist. on the true line in prairie
80.00	To the post cr. of lat. 17. 18. 19 & 20. This mile is land barrens and prairie. Timber Oak & Hick. Poor soil.
North	Return Lat 17 & 18. T. 8 N.R. 5 W.
40.00	Set a 1/4 sec post from which a W. Oak. 20 in dia: bears N 76 W. 47' back dist Hick 14 " " " N 7 E. 40 " " To a Swamp of ch. mud, Comes N.E.

69

T. N. 8. N. R. N. 5 W. D. and (Mm.) Sud.

80. 00 Set a post for the Cor. of Sec. 7. 8. 17. & 8. from which a
Hick⁹ 4. in. diam. bears S. 20. E. 5. links dist. 4 c
S. 40. " " N. 13. W. 6. " "
Land on this mile level. Soil indifferent. Timber Oak
Hick⁹. &c. W. g. Hickory. &c.

West Between Sec. 8. & 17. T. 8. N. R. N. 5. W.
8. 50 To a Birch 15. links wide. Course N. E.
37. 50 To a W. Oak 18. in. diam. stands in the line.
40. 00 Set a 1/4 Sec. post from which a
Walnut 12. in. diam. bears N. 23. W. 12. links dist. 4 c
Red Bud 6. " " " S. 15. W. 20. " "
80. 00 Intersect the S. & E. line at the post cor. of sec.
7. 8. 17. & 18. T. 8. N. R. 5. W.
Land on the 1st 1/2 mile level & rich. Timber. Oak, Elm,
Hickory Undergrowth Spice. &c. Last 1/2 mile over best
land. rich soil. Timber. Elm. Oak. & Walnut.
W. g. Spice. Hazle. & G. Saffras.

West Between Sec. 7. & 18. T. 8. N. R. 5. W.
7. 70 To a B. Oak 30. in. diam. stands in the line.
40. 00 Set a post for the Cor. of 1/4 Sec from which a Hick⁹
Hick⁹ 8. in. diam. bears S. 69. E. 10. links dist. 4 c
S. 8. " " " N. 40. E. 9. " "
80. 79 Set a post on the NW Corner at the Intersection
from which a Hick⁹ 10 in. diam. bears N. 31 E. 24 links dist.
and a Hick⁹ 10 " " " S. 3 E. 24 " "
Land broken, but good. Timber Oak, Hick⁹; W. Spice

North Between Sec. 7. & 18. T. 8. N. R. 5. W.
5. 00 To a B. Oak 15 in. diam. in the line.
40. 00 Set a 1/4 Sec. post from which a
B. Oak 20 in. diam. bears N. 53 E. 30 links dist. &c.

T. N. 8. N.R. N. 577. D. M. (Mm. Ind.)

80.00	<p> <i>B. Oak.</i> 36 in. diam. trunk. <i>N 89 N. 60</i> lbs. ash; & c. Set apart for the cor. of <i>Sec. 5, 6, 7 & 8</i>. From which an <i>Oak.</i> 36 in. diam. trunk. <i>511 N. 16</i> limbs ash; & c., <i>Heck 14</i>, " " <i>N 21 E. 49</i>, " " <i>Sand herb</i>; <i>Timber Oak</i>, <i>Heck 1</i>, & c. <i>N 8 Sassafras</i> </p>
<p> <i>East</i> <i>40.00</i> </p>	<p> On a <i>Rundum</i> line between <i>Sec. 5 & 8</i>. <i>N 8 N.R. 577</i>. Set a <i>temp. 17</i> <i>1/4</i> sec post in <i>Sec. 300</i> the <i>N 8</i>. & <i>10</i>. ch. long. </p>
53.00	To <i>Ed. River</i> 257 limbs mid; <i>Cones 9</i> .
80.15	Inter cut the <i>N 8</i> line 25 the North of the post cor of <i>Sec. 4, 5, 8 & 9</i> .
<p> <i>West</i> <i>40.07</i> </p>	<p> On the <i>new</i> line between <i>Sec. 5 & 8</i>. <i>N 8 N.R. 577</i>. Set the <i>temp. 17</i> <i>1/4</i> sec post at ar. curb in the <i>new</i> line in the <i>Sec. 300</i>. <i>80.15</i> In the post cor. of <i>Sec. 5, 6, 7 & 8</i>. </p>
<p> <i>West</i> <i>40.00</i> </p>	<p> Return <i>Sec. 6 & 7</i>. <i>N 8 N.R. 577</i>. Set a <i>1/4</i> sec post from which <i>N Oak.</i> 15 in. diam. trunk. <i>N 38 E. 29</i> limbs ash; & c., <i>B. Oak.</i> 30, " " <i>334 N. 59</i>, " " <i>78.40</i> Inter cut the <i>N 8</i> (from <i>N 8</i>) and set apart for the cor of <i>Sec. 6 & 7</i> from which <i>B. Oak.</i> 8 in. diam. trunk <i>N 82 E. 5</i> limbs ash; & c., <i>L. Oak.</i> 6, " " <i>324 N. 59</i>, " " <i>Sand herb</i>; <i>Timber Oak</i>, & <i>Heck 1</i>; <i>N 8 Sassafras</i> <i>For Sub.</i> </p>
<p> <i>North</i> <i>30.50</i> <i>40.00</i> </p>	<p> Return <i>Sec. 5 & 6</i>. <i>N 8 N.R. 577</i>. In a <i>Spanish Oak</i> 24 in. diam. in the line. Set a <i>1/4</i> sec post from which <i>Heck 12</i> in. diam. trunk <i>300 N. 30</i> lbs. ash; & c., </p>

T. N. 8. N. R. N. 57. 2nd Mer. Sur.

61.50 W. Oak. 14 in. diam. trees N32 E. 22 into oak;
 In Oak River 250 wide into. Cones S.E.
 76.77 Intn cut the N. B. road and set a post for the cor.
 of sec. 5 & 6 from which
 Hick 15 in. diam. trees S28 W. 11 into oak; & a
 Ironwood 10 " " " N45 E. 6 " "
 This mile is Level Land; Rich soil. Little Rock, Lu-
 gans, &c. Mud & th Spine.

Meadows of White River Right Bank; (Probably)
 Commencing on the South B. road. Sec. 34. T. 8. N. R. 57.
 thence up Stream in Sec. 34

N56 W. 6.00

N88 W. 9.30 To post on line between Sec. 33 & 34. Riv. 580 ft. more

N88 W. 7.40

N75 W. 3.00

N57 1/2 W. 17.00

N75 1/2 W. 8.50

N61 1/2 W. 7.50

N31 1/2 W. 5.70

In Sec. 33.

N113 1/4 W. 7.38

N43 E. 9.30

N63 E. 9.91

S85 E. 10.29

N88 E. 15.50

N80 E. 4.41 Intn cut the line betw. 33 & 34. Riv. 608 ft. more.

N80 E. 4.34

N63 E. 15.00

N31 E. 12.00

In Sec. 34.

N77 W. 10.00

N65 W. 10.00.

D. No. 8. N.R. No. 5 N. 2nd Mm. Ind:

S41 N. 9.50

S53 N. 14.00

N53 N. 4.25. Intersect the line between Sep. 33 & 34 Math. Riv. ^{C.S.} 5.90

S82 N. 3.77

N87 N. 5.47

N66 N. 11.50

N37 N. 10.70

N11 N. 7.94. Intersect the line bet. Sep. 28 & 33. N. 17th Riv. ^{C.S.} 5.75

N10 N. 13.00

N.47 N. 9.00

N23 N. 9.00

N23 E. 8.00

N50 E. 10.00

N83 E. 14.90

N62 E. 9.50

N48 E. 2.50

N25 E. 6.00

N15 N. 18.00

N8 E. 9.00 Intersect the line bet. Sep. 21 & 28. Math. Riv. ^{C.S.} 6.75

N7 E. 42.00

N23 N. 11.00

N57 N. 4.68 To E 20 Riv. 208 the min, Crosses S85 E.

N23 E. 5.58

N42 E. 8.00 Intersect the line between Sep. 21 & 22 Riv. ^{C.S.} 5.00 min

N64 1/2 E. 7.85. To a Brook 3 mile min.

S66 1/2 E. 6.44

S54 1/2 E. 21.50

S58 1/2 E. 23.00

N87 E. 9.00

N27 1/2 E. 17.50

73

T. N. 8. N. R. N. 5 N. 2nd Mer. Ind.

N36 E.	17.00	
N15 W.	5.00	
N75 1/4 W.	10.00	
N58 3/4 W.	4.00	Intersect the Line between Sep. 15 & 22; Dist. 4.80 mi.
N58 3/4 W.	9.50	
N34 W.	12.50	
N 70 W.	8.50	
N14 E.	20.00	N. B. Cliff gradual descent.
N51 E.	7.50	
S89 E.	28.00	Intersect the N. S. line between Sep. 14 & 15. Dist. 4.75 mi.
N73 E.	14.50	Intersect. 20 lbs. mi.
S65 E.	7.50	
S39 E.	9.66	
S20 3/4 E.	7.00	
S15 W.	19.50	
S13 1/2 E.	7.80	
S70 E.	6.50	
S83 E.	13.35	
S66 E.	15.50	
N73 E.	6.00	
N30 E.	11.50	Intersect. the line between Sep. 13 & 14 Dist. 5.00 mi.
N49 1/2 E.	11.00	
N74 E.	13.50	
N54 E.	9.00	
N16 1/2 E.	6.50	
N6 W.	26.50	
N11 E.	12.50	
N30 1/2 E.	19.00	Intersect the line between Sep. 12 & 13. Dist. 5.00 mi.
N30 1/2 E.	10.00	

T. N. 8. N. R. N. 5 W. 2nd Mer. Ind.

N 23 1/2 E. 61.00

N 14 1/2 E. 8.00

N 44 1/2 E. 5.56 Intersect the line between Sec. 1. & 12. R. 1. 5. 10 miles

N 75 E. 4.50

N 83 1/2 E. 2.50 Intersect the East Boundary of Sec. 1. T. 8. N. 5 W.

Surveyed by

John M. Donald. D.S.

I certify that the foregoing Transcript of the
Field notes of Township N. 8. North of Range N.
5 West of the 2nd Principal Meridian Indiana
has been compared with the Original notes in this
Office, and found to be correct.

Surveyor General's Office

Cincinnati, May 12, 1844

E. S. Haines
Sur. Genl.

Met Between Sec. 18 & 19, T. 8 N. R. 5 W.

15.00 a Creek 20 ft. wide Course N.

40.00 Set 9th Sec. post, from which

a Run Oak 14 in. diam. bears N 23 E 45 ft. dist. to

a Hickory 10 " " " S 97 W 35 "

60.00 enter a wet prairie

80.50 Intersected the Range line in prairie.

This mile level, timber Oak & Hickory, underg.
Hickory (Bearings Omitted S. M.)